


OKLAHOMA CERTIFIED CORNER RECORD

X Existing _____ Obliterated _____ Lost

C.M. Document No. _____

NE Corner of Section 2 Township 1 North Range 11 West

Meridian I.M. County Comanche



DESCRIPTION OF ORIGINAL MONUMENT AND ACCESSORIES AND ANY SUBSEQUENT RESTORATION: (Give Sources of Information)

Set Sandstone 7 x 10 x 4, above ground, firmly set and marked as described by the Surveyor General.
Dig Pits 18 x 18 x 12 in each section, 5 1/2 ft. distance. Raised a mound of earth 4 ft. base, 2 ft high, West of Corner.

Department of Libraries 1901 Resurvey Notes.

MONUMENT DESCRIPTION:

Description of Corner Evidence Found:

Found PK Nail in East Bound Lanes of Lee Blvd.
Matches ties on CCR filed by Duane R. Brunner, PLS 1314, dated 19 February 1996.
Matches ties on CCR filed by Dennie J. Hightower, PLS 1285, dated 26 May 1992.
Matches ties on ODOT Form-11 C-16-255 filed by Dewayne Walden, dated 26 March 1971.

Coordinates established using classical static GPS, minimum two independent vectors
Included in the HPGN adjustment of 1993

Description of Corner Evidence Set:

None

REFERENCE MEASUREMENTS: (At Least Three)

Description:


RP # 1	60d Nail in Asphalt road (asphalt crossover)
RP # 2	USCGS Ref #3 for Station Lincoln
RP # 3	Concrete Nail in asphalt road
RP # 4	USCGS Brass Cap "Lincoln"
RP # 5	USCGS Ref #4 for Station Lincoln
RP # 6	Arch 'X' in Concrete Headwall

Distance Feet	Bearing	
	True	Magnetic
42.31'	<input type="checkbox"/>	<input checked="" type="checkbox"/> No Declination
143.59'		N 27°30'31" E
69.20'		S 34°12'46" E
78.19'		S 09°21'23" E
134.23'		S 24°39'53" W
56.83'		S 28°05'30" W
		N 39°28'16" W

SC # 1	E 1/4 Corner IP4	Ground Dist.: 2598.93'	Grid Dist.: 2598.63'	Grid Bearing: S 00°08'01" W
SC # 2	N 1/4 Corner PK Nail	Ground Dist.: 2634.00'	Grid Dist.: 2633.70'	Grid Bearing: N 89°49'04" W

STATEMENT OF METHOD USED TO DETERMINE CORNER LOCATION: (Lost Corners Only)


SKETCH:



SURVEYOR'S CERTIFICATION: This is to certify that the monuments and accessories indicated above are correctly described and shown. I further certify that the corner records were checked for any filings prior to making this survey.

Signature: Edward Deral Paulk Jr., PLS 1279
 City of Lawton, Engineering Department
 Firm _____ Phone Number (580) 581-3318
 103 SW 4th Street
 Street Address/Post Office Box _____ Web Site www.cityof.lawton.ok.us/engineering
 Lawton, Oklahoma 73501
 City, State and Zip Code _____
 12 August 2003 P.L.S. 1279
 Date and Registration Number _____

OKLAHOMA STATE PLANE COORDINATES: NAD 1983 (ADJ 1993 HARN)
 Coordinates are in US Survey Feet.
 X: E 1873016.673 Y: N 458997.543 ZONE: SOUTH



Accepted and Filed: _____
 Archivist, Archives & Records Division
 Oklahoma Department of Libraries
 200 Northeast 18th Street
 Oklahoma City, Oklahoma 73105

File Name: C-16-255-53S7.dwg