


OKLAHOMA CERTIFIED CORNER RECORD

X Existing _____ Obliterated _____ Lost

C.M. Document No. _____

N1/4 Corner of Section _____ 30 Township _____ 2 North Range _____ 11 West

Meridian I.M. County Comanche



DESCRIPTION OF ORIGINAL MONUMENT AND ACCESSORIES AND ANY SUBSEQUENT RESTORATION: (Give Sources of Information)

Set Sandstone 14 x 12 x 4 (Original Survey)
ReSurveyed in 1988 by the BLM, Set Concrete nail 3" long flush with the concrete road surface.

Department of Libraries GLO Notes.

MONUMENT DESCRIPTION:

Description of Corner Evidence Found:

2" PK Nail w/City of Lawton washer.
Matches ties on CCR filed by Duane R. Brunner, PLS 1314, dated 23 January 1996.

Coordinates established using classical static GPS, minimum two independent vectors
Included in the HPGN adjustment of 1993

Description of Corner Evidence Set:

None


REFERENCE MEASUREMENTS: (At Least Three)

Description:	Distance	Bearing	
	Feet	True <input type="checkbox"/>	Magnetic <input checked="" type="checkbox"/> No Declination
RP # 1 SW Corner, Base of Light Pole (BLM Tie - N 68° E - 128 1/2 Links)	84.21'		N 68° E
RP # 2 1/2" Iron Pin (ODOT RP #3 for C-16-195)	228.59'		S 04° W
RP # 3 1/2" Iron Pin (ODOT RP #2 for C-16-195)	178.63'		S 05° W
RP # 4 5/8" Iron Pin (ODOT RP #1 for C-16-195, BLM Tie - S 27°51' W - 48 Links)	31.77'		S 28° W
RP # 5 3" Spike w/City of Lawton Washer, Point Set for C-16-195)	15.01'		N 81° W
RP # 6 "X" on SE curb return of frontage road (BLM Tie - N 31° W - 47 Links).	31.03'		N 31° W

SC # 1 NW Corner Stem of ODOT Brass Cap C-16-160	Ground Dist.: 2590.22'	Grid Dist.: 2589.93'	Grid Bearing: N 89°55'59" W
SC # 2 NE Corner BLM Cap	Ground Dist.: 2656.05'	Grid Dist.: 2655.75'	Grid Bearing: S 89°55'33" E
SC # 3 NE Corner ODOT Brass Cap C-16-177	Ground Dist.: 2668.70'	Grid Dist.: 2668.40'	Grid Bearing: S 89°38'53" E

STATEMENT OF METHOD USED TO DETERMINE CORNER LOCATION: (Lost Corners Only)

SKETCH:



SURVEYOR'S CERTIFICATION: This is to certify that the monuments and accessories indicated above are correctly described and shown. I further certify that the corner records were checked for any filings prior to making this survey.

Signature: Edward Deral Paulk Jr., PLS 1279
 City of Lawton, Engineering Department
 Firm _____ Phone Number _____
 103 SW 4th Street (580) 581-3318
 Street Address/Post Office Box _____ Web Site _____
 Lawton, Oklahoma 73501 www.cityof.lawton.ok.us/engineering
 City, State and Zip Code _____
 23 July 2003 P.L.S. 1279
 Date and Registration Number _____


OKLAHOMA STATE PLANE COORDINATES: NAD 1983 (ADJ 1993 HARN)
Coordinates are in US Survey Feet.

X: E 1849334.777 Y: N 469703.049 ZONE: SOUTH

Accepted and Filed: _____

Archivist, Archives & Records Division
Oklahoma Department of Libraries
200 Northeast 18th Street
Oklahoma City, Oklahoma 73105

Date: _____



File Name: 25S6.dwg