


OKLAHOMA CERTIFIED CORNER RECORD

X Existing \_\_\_\_\_ Obliterated \_\_\_\_\_ Lost

C.M. Document No. \_\_\_\_\_

E1/4 Corner of Section 26 Township 2 North Range 12 West

Meridian I.M. County Comanche



DESCRIPTION OF ORIGINAL MONUMENT AND ACCESSORIES AND ANY SUBSEQUENT RESTORATION: (Give Sources of Information)

Set Sandstone 5 x 14 x 3  
 Department of Libraries GLO "ReSurvey" Notes.

MONUMENT DESCRIPTION:

Description of Corner Evidence Found:

Found Chisled 'X' in Intersection of Ferris and Sheridan. (Drawing of Survey done by E. Morales.)  
 Matches ties on CCR filed by Phil Stevenson, PLS 1159, dated 6 November 1987.

Coordinates established using classical static GPS, minimum two independent vectors  
 Included in the HPGN adjustment of 1993

Description of Corner Evidence Set:

None

REFERENCE MEASUREMENTS: (At Least Three)

Description:


RP #	Description	Distance	Bearing
RP # 1	'X' in Gutter	35.98'	N 00°15'00" E
RP # 2	CoL GPS 26B1	64.71'	N 03°36'06" E
RP # 3	'X' on Sidewalk Ramp	58.73'	N 58°18'09" E
RP # 4	'X' on Southwest Corner of Concrete Base For Bank Sign	88.82'	S 49°23'50" E
RP # 5	'X' in Intersection	9.78'	S 00°15'35" E
RP # 6	'X' on bolt head of Hastings Sign (Old Safeway Sign) NE Corner	103.82'	S 36°52'13" W
RP # 7	TFH (Mueller)	171.30'	N 85°04'40" W
RP # 8	PK Nail on Sidewalk	99.16'	N 79°57'00" W
RP # 9	PK Nail on Sidewalk	89.08'	N 77°17'38" W
RP # 10	'X' on Concrete Signal Pole Base	64.87'	N 64°27'50" W
RP # 11	PK Nail on Sidewalk	61.81'	N 53°42'53" W

Distance	Bearing
Feet	True <input type="checkbox"/> Grid <input checked="" type="checkbox"/>

SC # 1	NE Corner	ODOT Brass Cap C-16-161	Ground Dist.: 2638.21'	Grid Dist.: 2637.90'	Grid Bearing: N 00°12'12" E
SC # 2	SE Corner	Found Chisled 'X' (South X)	Ground Dist.: 2635.84'	Grid Dist.: 2635.54'	Grid Bearing: S 00°11'30" W

STATEMENT OF METHOD USED TO DETERMINE CORNER LOCATION: (Lost Corners Only)

SKETCH:



**SURVEYOR'S CERTIFICATION:** This is to certify that the monuments and accessories indicated above are correctly described and shown. I further certify that the corner records were checked for any filings prior to making this survey.

Signature: Edward Deral Paulk Jr., PLS 1279  
**City of Lawton, Engineering Department**  
 Firm \_\_\_\_\_ Phone Number \_\_\_\_\_  
 103 SW 4th Street (580) 581-3318  
 Street Address/Post Office Box \_\_\_\_\_ Web Site \_\_\_\_\_  
 Lawton, Oklahoma 73501 www.cityof.lawton.ok.us/engineering  
 City, State and Zip Code \_\_\_\_\_  
 12 September 2003 P.L.S. 1279  
 Date and Registration Number \_\_\_\_\_


OKLAHOMA STATE PLANE COORDINATES: NAD 1983 (ADJ 1993 HARN)  
 Coordinates are in US Survey Feet.

X: E 1841447.024 Y: N 467086.886 ZONE: SOUTH

Accepted and Filed: \_\_\_\_\_

Archivist, Archives & Records Division  
 Oklahoma Department of Libraries  
 200 Northeast 18th Street  
 Oklahoma City, Oklahoma 73105

Date: \_\_\_\_\_



File Name: 27S8.dwg